



Lexmark™

Numériser vers SharePoint Online

Version 2.0

Guide de l'administrateur

Décembre 2020

www.lexmark.com

Contenus

- Historique des modifications..... 4**
- Aperçu..... 5**
- Liste de contrôle préparatoire du déploiement..... 6**
- Configuration des paramètres du serveur SharePoint..... 7**
 - Configuration des colonnes..... 7
- Autorisations d'Azure AD et leurs conditions d'accord..... 8**
- Configuration de l'application..... 9**
 - Accès à Embedded Web Server..... 9
 - Accès à la page de configuration de l'application..... 9
 - Configuration des paramètres de l'application..... 9
 - Configuration des paramètres proxy..... 11
 - Importation ou exportation d'un fichier de configuration..... 11
- Utilisation de l'application..... 12**
 - Accès au serveur SharePoint Online..... 12
 - Numérisation de documents..... 13
 - Impression de documents..... 14
- Dépannage..... 15**
 - Erreur d'application..... 15
 - Impossible de se connecter au serveur SharePoint..... 15
 - Impossible d'authentifier l'utilisateur..... 17
 - Impossible d'accéder à My Site..... 17
 - Impossible d'accéder à un site ou de le trouver dans la liste..... 18
 - Impossible de numériser ou d'imprimer des documents..... 18
 - Impossible de numériser des documents en couleur..... 19
 - Erreur de téléchargement plusieurs pages..... 19
 - L'application se ferme à l'ouverture d'une bibliothèque de documents..... 20

Avis.....21

Index.....30

Historique des modifications

Décembre 2020

- Ajout d'informations sur les autorisations d'Azure AD et leurs conditions d'accord.
- Suppression des informations sur la configuration d'Azure Active Directory.
- Suppression des informations sur l'ID client de l'application.

Mars 2020

- Ajout d'informations sur le format de sortie pour la fonction de reconnaissance optique des caractères.
- Ajout d'informations sur le retrait de licence.

Avril 2019

- Mise à jour des informations sur l'enregistrement de SharePoint Online sur Azure Active Directory.

Octobre 2018

- Version initiale du document pour les produits multifonctions avec un écran tactile au format tablette.

Aperçu

Utilisez l'application pour numériser vos documents en toute sécurité à l'aide de votre imprimante vers des sites hébergés sur des serveurs Microsoft SharePoint Online. Vous pouvez également procéder de la manière suivante :

- Accédez aux sites Web SharePoint Online.
- Créez des dossiers.
- Imprimez vos documents.

Ce document fournit des informations sur la configuration, l'utilisation et le dépannage de l'application.

Liste de contrôle préparatoire du déploiement

Assurez-vous que :

- Vous disposez d'un serveur SharePoint Online.
- Vous disposez de l'URL du site SharePoint (URL de collecte du site).

- Vous disposez des informations suivantes si votre réseau accède à Internet à l'aide d'un serveur proxy :
 - Nom d'hôte proxy

 - Numéro de port du proxy

Configuration des paramètres du serveur SharePoint

Configuration des colonnes

SharePoint vous permet d'ajouter des colonnes de propriétés à vos bibliothèques de documents. Ces colonnes contiennent des informations sur les fichiers enregistrés dans le serveur SharePoint. Avant de lancer la numérisation, l'application invite les utilisateurs à ajouter les valeurs de propriété pour le document numérisé.

- 1 Ouvrez un navigateur Web, puis saisissez l'URL du site SharePoint.
- 2 Connectez-vous en utilisant un compte d'administrateur.
- 3 Sélectionnez une bibliothèque de documents, puis cliquez sur l'onglet **Bibliothèque**.
- 4 Cliquez sur **Créer une colonne**.
- 5 Dans la boîte de dialogue Créer une colonne, configurez la colonne.

L'application prend uniquement en charge les types de colonnes suivants :

- Une seule ligne de texte
- Plusieurs lignes de texte
- Choix
- Nombre
- Devise
- Date et heure
- Oui/Non
- Personne ou groupe
- Lien hypertexte ou image

Remarques :

- Les noms de colonnes créées à l'aide de Modification rapide peuvent ne pas correspondre aux noms de colonnes dans les informations du fichier indiquées par l'application.
- Si vous sélectionnez **Afficher en tant que pourcentage** pour le type de colonne Numéro, la valeur est convertie en décimal dans l'application. Par exemple, si la valeur du serveur SharePoint est de 50 %, l'application affiche 0,50 dans le fichier d'informations.

- 6 Cliquez sur **OK**.

Autorisations d'Azure AD et leurs conditions d'accord

L'utilisateur doit accorder les autorisations API suivantes pour que Numériser vers SharePoint Online fonctionne :

API	Autorisation	Type	Description
SharePoint	TousSites.Ecriture	Délégué	Lecture et écriture d'éléments dans toutes les collections de site
Microsoft Graph	Utilisateur.Lecture	Délégué	Connexion et lecture du profil utilisateur

Remarque : Ces autorisations ne nécessitent pas l'accord de l'administrateur. Lorsque les autorisations requises sont accordées, l'application détient les droits d'accès en lecture et écriture aux avis d'accès pour l'utilisateur connecté.

Accord des autorisations de l'administrateur

Selon les paramètres Azure AD préconfigurés, les utilisateurs non administrateurs ne pourront peut-être pas accorder à l'application les autorisations d'accès aux données de l'entreprise. Si tel est le cas, les applications doivent obtenir l'accord de l'administrateur pour accéder aux données de l'entreprise.

Pour accorder les autorisations administrateur, l'utilisateur peut suivre une ou plusieurs des procédures suivantes :

A partir de l'invite d'accord d'autorisations

Un utilisateur administrateur a la possibilité d'activer l'accord d'autorisations administrateur directement à partir de l'invite lorsqu'il se connecte à l'application.

A partir du portail Azure

Une fois connecté, vous pouvez accorder les autorisations administrateur par le biais des applications d'entreprise, si l'application a déjà été ajoutée à Azure Active Directory.

Configuration de l'application

Accès à Embedded Web Server

- 1 Obtenez l'adresse IP de l'imprimante. Effectuez l'une des opérations suivantes :
 - Recherchez l'adresse IP de l'imprimante sur son écran d'accueil.
 - Dans la section Aperçu du réseau ou dans la section TCP/IP du menu Réseau/Ports, affichez l'adresse IP.
- 2 Ouvrez un navigateur Web, puis saisissez l'adresse IP de l'imprimante.

Accès à la page de configuration de l'application

- 1 Depuis Embedded Web Server, selon votre modèle d'imprimante, effectuez l'une des opérations suivantes :
 - Cliquez sur **Applications**.
 - Cliquez sur **Paramètres > App. > Gest. app.**
 - Cliquez sur **Paramètres > Solutions pour le périphérique > Solutions (eSF)**.
 - Cliquez sur **Configuration > Embedded Solutions**.
- 2 Cliquez sur le nom de l'application, puis cliquez sur **Configurer**.

Configuration des paramètres de l'application

- 1 Accédez à la page de configuration de l'application à partir d'Embedded Web Server.
- 2 Effectuez l'une des opérations suivantes :

Remarque : Pour plus d'informations sur chaque paramètre, reportez-vous à l'aide contextuelle.

Personnalisation de l'icône d'application

Dans la section Ecran d'accueil, spécifiez le texte et l'image que vous souhaitez afficher sur votre écran d'accueil.

Configuration des paramètres SharePoint

- a Dans la section Paramètres SharePoint, saisissez l'URL SharePoint.

Remarque : N'insérez pas la page par défaut du site, des bibliothèques de documents ou des dossiers. Par exemple, pour ajouter **http://SharePointURL/Docs/default.aspx**, saisissez uniquement **http://SharePointURL/Docs**.

- b Saisissez l'URL de My Site.

Utilisez **%s** pour l'URL du site SharePoint et **%u** pour la variable d'ID utilisateur. Par exemple, si l'URL My Site est **http://SharePointURL/personal/user1**, où :

- **http://SharePointURL** est l'URL du site SharePoint
- **personal** est le nom du chemin
- **user1** est l'ID d'utilisateur

le schéma est alors **%s/personal/%u**.

Remarque : Si vous utilisez SharePoint Online, saisissez l'URL My Site exacte. Par exemple, **https://company1-my.sharepoint.com/personal/user1_onmicrosoft_com**. Vous ne pouvez pas utiliser la variable « %s » car l'URL du site SharePoint est modifiée lorsqu'elle est utilisée comme URL My Site. Par exemple, si votre URL SharePoint est **https://company1.sharepoint.com**, elle est modifiée en **https://company1-my.sharepoint.com**.

- c** Dans le champ Emplacements filtrés, saisissez les noms des bibliothèques de documents que vous souhaitez masquer sur l'écran de l'imprimante, séparés par des virgules.

Remarque : La liste des bibliothèques de documents est affichée sur la gauche de l'écran de l'imprimante.

- d** Dans le champ Emplacement de démarrage par défaut, saisissez le nom de la bibliothèque de documents que vous souhaitez voir apparaître par défaut lorsque vous lancez l'application.

Remarques :

- Vous pouvez également utiliser les sites répertoriés sur le côté gauche de l'écran de l'imprimante comme emplacement de démarrage par défaut.
 - L'emplacement de démarrage par défaut spécifié ne doit pas être un emplacement filtré.
 - Si un sous-site et une bibliothèque de documents portent le même nom, l'application utilise le sous-site comme emplacement de démarrage par défaut.
 - Les noms de sous-sites sont sensibles à la casse. Assurez-vous de respecter la casse lors de la saisie du nom de sous-site. Par exemple, si le nom de sous-site est ABC, saisissez **ABC** en majuscules.
- e** Sélectionnez **Commentaires requis lors de l'enregistrement** si vous souhaitez que les utilisateurs saisissent un commentaire à l'enregistrement lors du téléchargement de documents numérisés.
- f** Dans le menu Demander les données facultatives, sélectionnez la colonne de données que vous souhaitez soumettre aux utilisateurs.
- g** Si nécessaire, configurez les paramètres d'horodatage.
- h** Dans le menu Utilisation du site personnel, sélectionnez la manière dont les sites personnels sont utilisés par l'application.
- **Inclure les sites personnels :** les utilisateurs peuvent accéder à leur site personnel et aux bibliothèques de documents partagées.
 - **Autoriser uniquement les sites personnels :** les utilisateurs peuvent voir uniquement leur site personnel.
 - **Ne pas utiliser les sites personnels :** le bouton My Site n'est pas disponible et les utilisateurs peuvent voir les bibliothèques de documents partagées uniquement.
- i** Activez l'impression et la numérisation.

Configuration des paramètres de numérisation

Dans la section Paramètres de numérisation, configurez les paramètres.

Remarques :

- Un disque dur d'imprimante est nécessaire pour l'utilisation d'un travail personnalisé et l'affichage de l'aperçu de numérisation.
- Sélectionnez l'option **Activer travail personnalisé** pour inviter les utilisateurs à effectuer leurs numérisations à partir du dispositif d'alimentation automatique de documents (DAA) ou de la vitre du scanner.

- Lorsque vous numérisez des documents contenant plusieurs pages, sélectionnez le format de fichier de numérisation **TIFF** ou **PDF**.

Configuration des options de confirmation

Dans la section Page de confirmation, sélectionnez la façon dont vous souhaitez confirmer le travail.

- 3 Cliquez sur **Appliquer**.

Configuration des paramètres proxy

Si votre site SharePoint est hors de votre réseau, indiquez les paramètres proxy.

- 1 Accédez à la page de configuration de l'application à partir d'Embedded Web Server.
- 2 Dans la section Paramètres proxy, saisissez le nom d'hôte proxy et le numéro de port.
Remarque : Pour plus d'informations, reportez-vous à l'aide contextuelle.
- 3 Cliquez sur **Appliquer**.

Importation ou exportation d'un fichier de configuration

L'importation de fichiers de configuration écrase les configurations d'applications existantes.

- 1 Accédez à la page de configuration de l'application à partir d'Embedded Web Server.
- 2 Effectuez l'une des opérations suivantes :

Pour eSF version 5.0 ou ultérieure

- a Cliquez sur **Importer/exporter la configuration**.
- b Effectuez l'une des opérations suivantes :
 - Localisez le fichier de configuration, puis cliquez sur **Importer**.
 - Cliquez sur **Exporter**.
- c Cliquez sur **Enregistrer**.

Pour eSF version 4.0 ou antérieure

- a Effectuez l'une des opérations suivantes :
 - Cliquez sur **Importer**, localisez le fichier de configuration, puis cliquez sur **Démarrer**.
 - Cliquez sur **Exporter**.
- b Cliquez sur **Appliquer**.

Utilisation de l'application

Une fois l'application installée, les utilisateurs de SharePoint peuvent utiliser des fonctions de numérisation supplémentaires sur l'imprimante lorsqu'ils numérisent des documents vers un serveur SharePoint.

Les invites peuvent varier en fonction du profil défini par l'administrateur.

Accès au serveur SharePoint Online

Premier accès en tant qu'utilisateur invité

- 1 Sur l'écran d'accueil de l'imprimante, appuyez sur l'icône de l'application.
- 2 Appuyez sur **Créer un profil** sur l'écran de l'imprimante.
- 3 Saisissez un nom de profil. Vous pouvez également sécuriser votre profil en saisissant un code PIN à 4 chiffres.
Remarque : Nous vous recommandons d'utiliser uniquement des caractères alphanumériques.
- 4 Suivez les instructions qui s'affichent sur l'écran de l'imprimante.

Accès récurrent en tant qu'utilisateur invité

- 1 Sur l'écran d'accueil de l'imprimante, appuyez sur l'icône de l'application.
- 2 Sélectionnez un profil dans la liste des profils SharePoint Online.
- 3 Si le profil est sécurisé, saisissez le code PIN à 4 chiffres.



Premier accès en tant qu'utilisateur authentifié

- 1 Sur l'écran d'accueil de l'imprimante, appuyez sur l'icône de l'application.
- 2 Connectez-vous avec sécurité interne ou par le biais de méthodes d'authentification réseau telles que LDAP ou l'authentification par badge.
- 3 Suivez les instructions qui s'affichent sur l'écran de l'imprimante.

Accès récurrent en tant qu'utilisateur authentifié

- 1 Sur l'écran d'accueil de l'imprimante, appuyez sur l'icône de l'application.
- 2 Connectez-vous avec sécurité interne ou par le biais de méthodes d'authentification réseau telles que LDAP ou l'authentification par badge.

Remarques :

- Le code d'authentification est valide pendant 15 minutes uniquement.
- Le code d'authentification ne peut être utilisé qu'une seule fois.
- Vous pouvez créer jusqu'à 50 profils clients.
- Pour supprimer un profil, sélectionnez ce profil et appuyez sur  ou sur  > **Supprimer**.

- Les utilisateurs authentifiés doivent s'authentifier à nouveau lorsqu'ils modifient les mots de passe de leur compte.
- Si un utilisateur ne se connecte pas pendant 90 jours, il sera obligé de s'authentifier à nouveau lors de sa prochaine connexion.

Numérisation de documents

Remarques :

- Avant de commencer, activez la numérisation dans Embedded Web Server.
- Les paramètres de délai de votre imprimante et du serveur SharePoint peuvent affecter le téléchargement du document numérisé. Si vous numérisez plusieurs pages, assurez-vous d'augmenter les paramètres de délai de votre imprimante et du serveur SharePoint.

1 Chargez un document original dans le DAA ou sur la vitre du scanner.


Remarque : Pour plus d'informations, reportez-vous au *Guide de l'utilisateur* de l'imprimante.

2 Sur l'écran d'accueil, appuyez sur l'icône de profil de l'application.

3 Si vous y êtes invité, saisissez vos informations d'authentification.

4 Accédez à la bibliothèque de documents ou au dossier où vous voulez enregistrer le document numérisé.

Remarques :

- Pour ajouter un dossier, appuyez sur  en regard du bouton Numériser, puis appuyez sur **Créer un dossier**. Les noms de dossier ne peuvent pas comporter les caractères suivants : ~ " # % & * : < > ? / \ { | }
- Vous pouvez créer des dossiers uniquement à l'intérieur d'une bibliothèque de documents.

5 Appuyez sur **Numériser**.

6 Saisissez les informations relatives au document numérisé.

Remarque : Si **Afficher en tant que pourcentage** est sélectionné dans le serveur SharePoint, la valeur que vous saisissez dans le champ Numéro est convertie en pourcentage. Par exemple, si vous saisissez **50, 5 000 %** est affiché dans le serveur SharePoint.

7 Si nécessaire, saisissez un commentaire d'enregistrement.

8 Saisissez le nom de fichier pour le document numérisé, puis appuyez sur **OK**.

Remarque : Les noms de fichier ne peuvent pas comporter les caractères suivants : ~ " # % & * : < > ? / \ { | }

9 Si nécessaire, réglez les paramètres de numérisation.

Remarques :

- Si aucun disque dur n'est installé sur l'imprimante, la taille des fichiers est limitée à 20 Mo.
- Pour obtenir la liste des types de fichier pris en charge, consultez le fichier *Readme*.
- Vous pouvez sélectionner **CSV** comme format de sortie pour la fonction de reconnaissance optique des caractères.

10 Appuyez sur **Envoyer**.

11 Envoyez le document, numérisez la page suivante ou annulez la tâche.

Impression de documents


Remarque : Avant de commencer, activez l'impression dans Embedded Web Server.

1 Sur l'écran d'accueil, appuyez sur l'icône de profil de l'application.

2 Si vous y êtes invité, saisissez vos informations d'authentification.


3 Accédez à la bibliothèque de documents ou au dossier contenant votre document.

Remarques :

- Pour ouvrir votre dossier ou votre site personnel, appuyez sur **Mon site**. En fonction de l'emplacement de démarrage par défaut, vous devrez peut-être faire défiler la liste vers le haut pour localiser My Site.
- Pour afficher les fichiers et les dossiers, ou les fichiers uniquement, appuyez sur  > **Filtre**.

4 Appuyez sur le nom du fichier.

Remarques :

- Pour afficher les informations du fichier, appuyez sur .
- Pour obtenir la liste des types de fichiers pris en charge, consultez le fichier *Readme*.

5 Appuyez sur **Imprimer**.

Remarque : La mise en veille de l'écran est désactivée en cours d'impression.

Dépannage

Erreur d'application

Essayez l'une ou plusieurs des solutions suivantes :

Vérifiez le journal de diagnostic

- 1 Ouvrez un navigateur Web, puis saisissez **IP/se**, où **IP** est l'adresse IP de l'imprimante.
- 2 Cliquez sur **Solutions intégrées**, puis procédez comme suit :
 - a Effacez le fichier journal.
 - b Définissez le niveau de journalisation sur **Oui**.
 - c Générez le fichier journal.
- 3 Analysez le journal, puis résolvez le problème.

Remarque : Pour éviter des problèmes de mémoire insuffisante, après analyse du journal, définissez le niveau de journalisation sur **Non**.

Limitez le nombre de profils que vous créez

Vous risquez de rencontrer des problèmes si le nombre de profils est trop important. Si la mémoire de l'imprimante est de 2 Go, il est recommandé de créer un maximum de 80 profils.

Réglez les paramètres de numérisation

- 1 Accédez à la page de configuration de l'application à partir d'Embedded Web Server.
- 2 Ajoutez ou modifiez un profil.
- 3 Dans la section Paramètres de numérisation, sélectionnez une résolution inférieure ou désactivez la numérisation couleur.
- 4 Cliquez sur **Appliquer**.

Contactez votre représentant Lexmark

Impossible de se connecter au serveur SharePoint

Essayez les solutions suivantes :

Vérifiez que le serveur SharePoint fonctionne

Pour plus d'informations, contactez votre administrateur SharePoint.

Appuyez à nouveau sur l'icône de l'application.

Lorsque le serveur est en mode veille, il peut s'écouler quelques secondes avant qu'il ne réponde.

Assurez-vous que les paramètres de l'application correspondent à ceux du serveur SharePoint

Pour plus d'informations, reportez-vous à la section [« Configuration des paramètres de l'application »](#) à la page 9.

Vérifiez que l'imprimante est connectée au réseau.

Pour plus d'informations, reportez-vous au *Guide de l'utilisateur* de l'imprimante.

Vérifiez le journal de diagnostic

- 1** Ouvrez un navigateur Web, puis saisissez **IP/se**, où **IP** est l'adresse IP de l'imprimante.
- 2** Cliquez sur **Solutions intégrées**, puis procédez comme suit :
 - a** Effacez le fichier journal.
 - b** Définissez le niveau de journalisation sur **Oui**.
 - c** Générez le fichier journal.
- 3** Analysez le journal, puis résolvez le problème.

Assurez-vous que vous possédez des droits d'accès à l'URL du site SharePoint

- 1** Ouvrez un navigateur Web, puis tapez l'URL du site SharePoint.
- 2** Connectez-vous en utilisant un compte d'administrateur.
Remarque : Si vous ne disposez pas d'un compte d'administrateur, contactez votre administrateur SharePoint.
- 3** Depuis la page d'accueil, cliquez sur l'icône des paramètres, puis cliquez sur **Paramètres de site**.
- 4** Dans la section Utilisateurs et autorisations, cliquez sur **Autorisations de site > Vérifier les autorisations**.
- 5** Saisissez votre nom d'utilisateur.
- 6** Cliquez sur **Rechercher maintenant**.

Remarque : les utilisateurs bénéficiant d'un accès en lecture ou affichage uniquement ne pourront peut-être pas se connecter au serveur SharePoint via l'application. Pour modifier votre niveau d'autorisation, contactez votre administrateur SharePoint.

Contactez votre distributeur Lexmark

Impossible d'authentifier l'utilisateur

Essayez les solutions suivantes :

Vérifiez les paramètres de l'application

Assurez-vous que les options d'authentification et les paramètres SharePoint dans la page de configuration de l'application correspondent aux paramètres du serveur SharePoint Online. Pour plus d'informations, reportez-vous à la section [« Configuration des paramètres de l'application » à la page 9](#).

Veillez à indiquer les informations d'authentification correctes

Assurez-vous que vous possédez des droits d'accès à l'URL du site SharePoint

1 Ouvrez un navigateur Web, puis saisissez l'URL du site SharePoint.

2 Connectez-vous en utilisant un compte d'administrateur.

Remarque : Si vous ne disposez pas d'un compte d'administrateur, contactez votre administrateur SharePoint.

3 Depuis la page d'accueil, cliquez sur l'icône des paramètres, puis cliquez sur **Paramètres de site**.

4 Dans la section Utilisateurs et autorisations, cliquez sur **Autorisations de site > Vérifier les autorisations**.

5 Saisissez votre nom d'utilisateur.

6 Cliquez sur **Rechercher maintenant**.

Remarque : Si vous disposez d'un accès en lecture ou affichage uniquement, contactez votre administrateur SharePoint Online pour modifier votre niveau d'autorisation.

Contactez votre représentant Lexmark

Impossible d'accéder à My Site

Essayez les solutions suivantes :

Vérifiez que vous avez indiqué l'URL correcte pour My Site dans la page de configuration de l'application

Pour plus d'informations, reportez-vous à la section [« Configuration des paramètres de l'application » à la page 9](#).

Assurez-vous que My Site est correctement configuré sur le serveur SharePoint

Pour plus d'informations, contactez votre administrateur SharePoint.

Impossible d'accéder à un site ou de le trouver dans la liste

Essayez les solutions suivantes :

Assurez-vous que les paramètres de l'application correspondent à ceux du serveur SharePoint

Pour plus d'informations, reportez-vous à la section [« Configuration des paramètres de l'application » à la page 9](#).

Assurez-vous que vous avez accès au serveur du site SharePoint et que vous possédez l'autorisation de site appropriée

Pour plus d'informations, contactez votre administrateur SharePoint.

Assurez-vous que tous les sous-sites sont répertoriés dans la collecte de sites

- 1 Connectez-vous au serveur SharePoint.
- 2 Depuis l'ordinateur, lancez le site d'administration centrale du serveur SharePoint, puis cliquez sur **Gestion des applications > Collections de site > Afficher toutes les collections de site**.
- 3 Vérifiez que votre site est répertorié dans la liste.

Remarque : Vous devez disposer de droits d'administration pour pouvoir ajouter un site. Pour plus d'informations, contactez votre administrateur SharePoint.

Contactez votre représentant Lexmark

Impossible de numériser ou d'imprimer des documents

Essayez l'une ou plusieurs des solutions suivantes :

Vérifiez que la numérisation ou l'impression est activée

- 1 Accédez à la page de configuration de l'application à partir d'Embedded Web Server.
- 2 Dans la section Paramètres SharePoint, activez la numérisation ou l'impression.
- 3 Cliquez sur **Appliquer**.

Vérifiez que l'URL SharePoint ne dépasse pas la longueur maximale.

Pour plus d'informations, reportez-vous à la documentation d'aide du serveur SharePoint.

Vérifiez que tous les câbles réseau appropriés sont correctement branchés et que les paramètres réseau de l'imprimante sont correctement configurés

Pour plus d'informations, reportez-vous au *Guide de l'utilisateur* de l'imprimante.

Vérifiez que le type de fichier est bien pris en charge

Pour obtenir la liste des types de fichiers pris en charge, consultez le fichier *Readme*.

Si vous ne parvenez pas à imprimer un fichier PDF, vérifiez qu'il n'est pas chiffré.

Assurez-vous que vous possédez des droits d'accès à l'URL du site SharePoint

- 1 Ouvrez un navigateur Web, puis saisissez l'URL du site SharePoint.
- 2 Connectez-vous en utilisant un compte d'administrateur.

Remarque : Si vous ne disposez pas d'un compte d'administrateur, contactez votre administrateur SharePoint.

- 3 En fonction de votre serveur SharePoint Online, cliquez sur l'icône des paramètres ou sur **Actions de site**, puis cliquez sur **Paramètres de site**.
- 4 Dans la section Utilisateurs et autorisations, cliquez sur **Autorisations de site > Vérifier les autorisations**.
- 5 Saisissez votre nom d'utilisateur.
- 6 Cliquez sur **Rechercher maintenant**.

Impossible de numériser des documents en couleur

Configurez l'application pour numériser des documents en couleur

- 1 Accédez à la page de configuration de l'application à partir d'Embedded Web Server.
- 2 Dans la section Paramètres de numérisation, dans le menu Couleur, sélectionnez **Activé**.
- 3 Cliquez sur **Appliquer**.

Erreur de téléchargement plusieurs pages

Essayez les solutions suivantes :

Augmentez le délai de mise en veille de l'imprimante

Pour plus d'informations, reportez-vous au *Guide de l'utilisateur* de l'imprimante.

Augmentez le délai du serveur SharePoint Online

Pour plus d'informations, contactez votre administrateur SharePoint Online.

Contactez votre représentant Lexmark

L'application se ferme à l'ouverture d'une bibliothèque de documents

Essayez les solutions suivantes :

Vérifiez que l'URL SharePoint ne dépasse pas la longueur maximale.

Pour plus d'informations, reportez-vous à la documentation d'aide du serveur SharePoint.

Déplacez ou supprimez des fichiers dans la bibliothèque de documents SharePoint

Contactez votre représentant Lexmark

Avis

Note d'édition

Décembre 2020

Le paragraphe suivant ne s'applique pas aux pays dans lesquels lesdites clauses ne sont pas conformes à la législation en vigueur : LEXMARK INTERNATIONAL, INC. FOURNIT CETTE PUBLICATION "TELLE QUELLE", SANS GARANTIE D'AUCUNE SORTE, EXPLICITE OU IMPLICITE, Y COMPRIS, MAIS SANS SE LIMITER AUX GARANTIES IMPLICITES DE COMMERCIALISABILITE OU DE CONFORMITE A UN USAGE SPECIFIQUE. Certains Etats n'admettent pas la renonciation aux garanties explicites ou implicites pour certaines transactions ; c'est pourquoi il se peut que cette déclaration ne vous concerne pas.

Cette publication peut contenir des imprécisions techniques ou des erreurs typographiques. Des modifications sont périodiquement apportées aux informations contenues dans ce document ; ces modifications seront intégrées dans les éditions ultérieures. Des améliorations ou modifications des produits ou programmes décrits dans cette publication peuvent intervenir à tout moment.

Dans la présente publication, les références à des produits, programmes ou services n'impliquent nullement la volonté du fabricant de les rendre disponibles dans tous les pays où celui-ci exerce une activité. Toute référence à un produit, programme ou service n'affirme ou n'implique nullement que seul ce produit, programme ou service puisse être utilisé. Tout produit, programme ou service équivalent par ses fonctions, n'enfreignant pas les droits de propriété intellectuelle, peut être utilisé à la place. L'évaluation et la vérification du fonctionnement en association avec d'autres produits, programmes ou services, à l'exception de ceux expressément désignés par le fabricant, se font aux seuls risques de l'utilisateur.

Pour bénéficier de l'assistance technique de Lexmark, rendez-vous sur le site <http://support.lexmark.com>.

Pour obtenir des informations sur la politique de confidentialité de Lexmark régissant l'utilisation de ce produit, consultez la page www.lexmark.com/privacy.

Pour obtenir des informations sur les fournitures et les téléchargements, rendez-vous sur le site www.lexmark.com.

© 2018 Lexmark International, Inc.

Tous droits réservés.

Marques commerciales

Lexmark et le logo Lexmark sont des marques commerciales ou des marques déposées de Lexmark International, Inc. aux Etats-Unis et dans d'autres pays.

Les autres marques commerciales sont la propriété de leurs détenteurs respectifs.

Ce produit comporte un logiciel développé par Apache Software Foundation (<http://www.apache.org>).

Apache License Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1 Définitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

- 2** Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
- 3** Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

- 4** Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
- a** (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - b** (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - c** (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
 - d** (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

- 5** Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
- 6** Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
- 7** Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
- 8** Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
- 9** Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

OPEN PUBLIC LICENSE

Version 1.0

1. Definitions.

- 1.1. **"Contributor"** means each entity that creates or contributes to the creation of Modifications.
- 1.2. **"Contributor Version"** means the combination of the Original Code, prior Modifications used by a Contributor, and the Modifications made by that particular Contributor.
- 1.3. **"Covered Code"** means the Original Code or Modifications or the combination of the Original Code and Modifications, in each case including portions thereof.
- 1.4. **"Electronic Distribution Mechanism"** means a mechanism generally accepted in the software development community for the electronic transfer of data.
- 1.5. **"Executable"** means Covered Code in any form other than Source Code.
- 1.6. **"Initial Developer"** means the individual or entity identified as the Initial Developer in the Source Code notice required by **Exhibit A**.
- 1.7. **"Larger Work"** means a work, which combines Covered Code or portions thereof with code not governed by the terms of this License.
- 1.8. **"License"** means this document and the corresponding addendum describe in section 6.4 below.
- 1.9. **"Modifications"** means any addition to or deletion from the substance or structure of either the Original Code or any previous Modifications. When Covered Code is released as a series of files, a Modification is:
 - A. Any addition to or deletion from the contents of a file containing Original Code or previous Modifications.
 - B. Any new file that contains any part of the Original Code or previous Modifications.
- 1.10. **"Original Code"** means Source Code of computer software code which is described in the Source Code notice required by **Exhibit A** as Original Code, and which, at the time of its release under this License is not already Covered Code governed by this License.
- 1.11. **"Source Code"** means the preferred form of the Covered Code for making modifications to it, including all modules it contains, plus any associated interface definition files, scripts used to control compilation and

installation of an Executable, or a list of source code differential comparisons against either the Original Code or another well known, available Covered Code of the Contributor's choice. The Source Code can be in a compressed or archival form, provided the appropriate decompression or de-archiving software is widely available for no charge.

1.12. "You" means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License or a future version of this License issued under Section 6.1. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of fifty percent (50%) or more of the outstanding shares or beneficial ownership of such entity.

1.13 "License Author" means Lutris Technologies, Inc.

2. Source Code License.

2.1. The Initial Developer Grant.

The Initial Developer hereby grants You a worldwide, royalty-free, non-exclusive license, subject to third party intellectual property claims:

(a) under intellectual property rights (other than patent or trademark) to use, reproduce, modify, display, perform, sublicense and distribute the Original Code (or portions thereof) with or without Modifications, or as part of a Larger Work; and

(b) under patents now or hereafter owned or controlled by Initial Developer, to make, have made, use and sell ("offer to sell and import") the Original Code (or portions thereof), but solely to the extent that any such patent is reasonably necessary to enable You to Utilize the Original Code (or portions thereof) and not to any greater extent that may be necessary to Utilize further Modifications or combinations.

2.2. Contributor Grant.

Each Contributor hereby grants You a worldwide, royalty-free, non-exclusive license, subject to third party intellectual property claims:

(a) under intellectual property rights (other than patent or trademark) to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof) either on an unmodified basis, with other Modifications, as Covered Code or as part of a Larger Work; and

(b) under patents now or hereafter owned or controlled by Contributor, to make, have made, use and sell ("offer to sell and import") the Contributor Version (or portions thereof), but solely to the extent that any such patent is reasonably necessary to enable You to Utilize the Contributor Version (or portions thereof), and not to any greater extent that may be necessary to Utilize further Modifications or combinations.

3. Distribution Obligations.

3.1. Application of License.

The Modifications which You create or to which You contribute are governed by the terms of this License, including without limitation Section **2.2**. The Source Code version of Covered Code may be distributed only under the terms of this License or a future version of this License released under Section **6.1**, and You must include a copy of this License with every copy of the Source Code You distribute. You may not offer or impose any terms on any Source Code version that alters or restricts the applicable version of this License or the recipients' rights hereunder. However, You may include an additional document offering the additional rights described in Section **3.5**.

3.2. Availability of Source Code.

Any Modification which You create or to which You contribute must be made available, prior to any use, except for internal development and practice, in Source Code form under the terms of this License either on the same

media as an Executable version or via an accepted Electronic Distribution Mechanism to anyone to whom you made an Executable version available; and if made available via Electronic Distribution Mechanism, must remain available for at least twelve (12) months after the date it initially became available, or at least six (6) months after a subsequent version of that particular Modification has been made available to such recipients. You shall notify the Initial Developer of the Modification and the location of the Source Code via the contact means provided for in the Developer Specific license. Initial Developer will be acting as maintainer of the Source Code and may provide an Electronic Distribution mechanism for the Modification to be made available.

3.3. Description of Modifications.

You must cause all Covered Code to which you contribute to contain a file documenting the changes You made to create that Covered Code and the date of any change. You must include a prominent statement that the Modification is derived, directly or indirectly, from Original Code provided by the Initial Developer and including the name of the Initial Developer in (a) the Source Code, and (b) in any notice in an Executable version or related documentation in which You describe the origin or ownership of the Covered Code.

3.4. Intellectual Property Matters

(a) Third Party Claims.

If You have knowledge that a party claims an intellectual property right in particular functionality or code (or its utilization under this License), you must include a text file with the source code distribution titled "LEGAL" which describes the claim and the party making the claim in sufficient detail that a recipient will know whom to contact. If you obtain such knowledge after You make Your Modification available as described in Section 3.2, You shall promptly modify the LEGAL file in all copies You make available thereafter and shall take other steps (such as notifying appropriate mailing lists or newsgroups) reasonably calculated to inform those who received the Covered Code that new knowledge has been obtained.

(b) Representations.

Contributor represents that, except as disclosed pursuant to Section 3.4(a) above, Contributor believes that Contributor's Modifications are Contributor's original creation(s) and/or Contributor has sufficient rights to grant the rights conveyed by this License.

3.5. Required Notices.

You must duplicate the notice in **Exhibit A** in each file of the Source Code, and this License in any documentation for the Source Code, where You describe recipients' rights relating to Covered Code. If You created one or more Modification(s), You may add your name as a Contributor to the notice described in **Exhibit A**. If it is not possible to put such notice in a particular Source Code file due to its structure, then you must include such notice in a location (such as a relevant directory file) where a user would be likely to look for such a notice. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Code. However, You may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.6. Distribution of Executable Versions.

You may distribute Covered Code in Executable form only if the requirements of Section **3.1-3.5** have been met for that Covered Code, and if You include a notice stating that the Source Code version of the Covered Code is available under the terms of this License, including a description of how and where You have fulfilled the obligations of Section **3.2**. The notice must be conspicuously included in any notice in an Executable version, related documentation or collateral in which You describe recipients' rights relating to the Covered Code. You may distribute the Executable version of Covered Code under a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that

the license for the Executable version does not attempt to limit or alter the recipient's rights in the Source Code version from the rights set forth in this License. If You distribute the Executable version under a different license You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or any Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer. If you distribute executable versions containing Covered Code, you must reproduce the notice in **Exhibit B** in the documentation and/or other materials provided with the product.

3.7. Larger Works.

You may create a Larger Work by combining Covered Code with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Code.

4. Inability to Comply Due to Statute or Regulation.

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Code due to statute or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) Cite all of the statutes or regulations that prohibit you from complying fully with this license. (c) describe the limitations and the code they affect. Such description must be included in the LEGAL file described in Section **3.4** and must be included with all distributions of the Source Code. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Application of this License.

This License applies to code to which the Initial Developer has attached the notice in **Exhibit A**, and to related Covered Code.

6. Versions of the License.

6.1. New Versions.

License Author may publish revised and/or new versions of the License from time to time. Each version will be given a distinguishing version number and shall be submitted to opensource.org for certification.

6.2. Effect of New Versions.

Once Covered Code has been published under a particular version of the License, You may always continue to use it under the terms of that version. You may also choose to use such Covered Code under the terms of any subsequent version of the License published by Initial Developer. No one other than Initial Developer has the right to modify the terms applicable to Covered Code created under this License.

6.3. Derivative Works.

If you create or use a modified version of this License, except in association with the required Developer Specific License described in section 6.4, (which you may only do in order to apply it to code which is not already Covered Code governed by this License), you must (a) rename Your license so that the phrases "Open", "OpenPL", "OPL" or any confusingly similar phrase do not appear anywhere in your license and (b) otherwise make it clear that your version of the license contains terms which differ from the Open Public License. (Filling in the name of the Initial Developer, Original Code or Contributor in the notice described in **Exhibit A** shall not of themselves be deemed to be modifications of this License.)

6.4. Required Additional Developer Specific License

This license is a union of the following two parts that should be found as text files in the same place (directory), in the order of preeminence:

[1] A Developer specific license.

[2] The contents of this file OPL_1_0.TXT, stating the general licensing policy of the software.

In case of conflicting dispositions in the parts of this license, the terms of the lower-numbered part will always be superseded by the terms of the higher numbered part.

7. DISCLAIMER OF WARRANTY.

COVERED CODE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED CODE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED CODE IS WITH YOU. SHOULD ANY COVERED CODE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED CODE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

8. TERMINATION.

8.1 Termination upon Breach

This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. All sublicenses to the Covered Code, which are properly granted, shall survive any termination of this License. Provisions that, by their nature, must remain in effect beyond the termination of this License shall survive.

8.2. Termination Upon Litigation. If You initiate litigation by asserting a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You file such action is referred to as "Participant") alleging that:

(a) such Participant's Contributor Version directly or indirectly infringes any patent, then any and all rights granted by such Participant to You under Sections 2.1 and/or 2.2 of this License shall, upon 60 days' notice from Participant terminate prospectively, unless if within 60 days after receipt of notice You either: (i) agree in writing to pay Participant a mutually agreeable reasonable royalty for Your past and future use of Modifications made by such Participant, or (ii) withdraw Your litigation claim with respect to the Contributor Version against such Participant. If within 60 days of notice, a reasonable royalty and payment arrangement are not mutually agreed upon in writing by the parties or the litigation claim is not withdrawn, the rights granted by Participant to You under Sections 2.1 and/or 2.2 automatically terminate at the expiration of the 60 day notice period specified above.

(b) any software, hardware, or device, other than such Participant's Contributor Version, directly or indirectly infringes any patent, then any rights granted to You by such Participant under Sections 2.1(b) and 2.2(b) are revoked effective as of the date You first made, used, sold, distributed, or had made, Modifications made by that Participant.

8.3. If You assert a patent infringement claim against Participant alleging that such Participant's Contributor Version directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

8.4. In the event of termination under Sections 8.1 or 8.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or any distributor hereunder prior to termination shall survive termination.

9. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY

DISTRIBUTOR OF COVERED CODE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO YOU OR ANY OTHER PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THAT EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

10. U.S. GOVERNMENT END USERS.

The Covered Code is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" and "commercial computer software documentation," as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Code with only those rights set forth herein.

11. MISCELLANEOUS.

This section was intentionally left blank. The contents of this section are found in the corresponding addendum described above.

12. RESPONSIBILITY FOR CLAIMS.

Except in cases where another Contributor has failed to comply with Section 3.4, You are responsible for damages arising, directly or indirectly, out of Your utilization of rights under this License, based on the number of copies of Covered Code you made available, the revenues you received from utilizing such rights, and other relevant factors. You agree to work with affected parties to distribute with Initial Developer responsibility on an equitable basis.

EXHIBIT A.

Text for this Exhibit A is found in the corresponding addendum, described in section 6.4 above, text file provided by the Initial Developer. This license is not valid or complete without that file.

EXHIBIT B.

Text for this Exhibit B is found in the corresponding addendum, described in section 6.4 above, text file provided by the Initial Developer. This license is not valid or complete without that file.

Index

A

accès à Embedded Web Server 9
accès à la page de configuration de l'application 9
accès au serveur SharePoint Online 12
accord d'autorisations administrateur 8
accord 8
accord d'autorisations Azure AD configuration requise 8
aperçu 5

C

colonnes configuration 7
conditions requises pour l'accord d'autorisations Azure AD 8
configuration des colonnes 7
configuration des options de confirmation 9
configuration des paramètres de l'application 9
configuration des paramètres de numérisation 9
configuration des paramètres proxy 11
configuration des paramètres SharePoint 9
création de dossiers 13

D

dépannage
erreur de téléchargement plusieurs pages 19
impossible d'accéder à My Site 17
impossible de numériser des documents en couleur 19
impossible de numériser ou d'imprimer des documents 18
impossible de se connecter au serveur SharePoint 15
l'application ne parvient pas à authentifier l'utilisateur 17

l'application se ferme à l'ouverture d'une bibliothèque de documents 20
l'utilisateur ne parvient pas à accéder au site 18
le site n'apparaît pas dans la liste 18
une erreur d'application s'est produite 15
documents
impression 14
numérisation 13

E

Embedded Web Server accès 9
erreur d'application dépannage 15
erreur de téléchargement plusieurs pages 19
exportation d'un fichier de configuration 11

F

fichier de configuration exportation 11
importation 11

H

historique des modifications 4

I

icône de profil personnalisation 9
importation d'un fichier de configuration 11
importation ou exportation d'un fichier de configuration 11
impossible d'accéder à My Site 17
impossible d'accéder au site 18
impossible de numériser des documents en couleur 19
impossible de numériser ou d'imprimer des documents 18
impossible de se connecter au serveur SharePoint 15

impression de documents 14

L

l'application ne parvient pas à authentifier l'utilisateur 17
l'application se ferme à l'ouverture d'une bibliothèque de documents 20
le site n'apparaît pas dans la liste 18
liste de contrôle préparation du déploiement 6
liste de contrôle préparatoire du déploiement 6

N

numérisation de documents 13

O

options de confirmation configuration 9

P

page de configuration de l'application accès 9
paramètres d'application configuration 9
paramètres de numérisation configuration 9
paramètres proxy configuration 11
paramètres SharePoint configuration 9
personnalisation de l'icône de profil 9

S

serveur SharePoint Online accès 12